



M195589

# LCD+LED WANDHALTER

## INSTRUCTION MANUAL



### SPECIFICATIONS

**Maximum Display Size:** 70"

**Maximum Load:** 45 kg

**Maximum Mounting Pattern:** 800 mm x 400 mm

**Tilt Range:** +15° / -3°

**Profile:** 4.4 cm

# WARNINGS

**Read these instructions before you begin.** If you are unsure of any part of the process, contact a professional contractor or installer for assistance. Improper installation can result in injury or damage.


The wall or mounting surface must be capable of supporting the combined weight of the mount and the display; if not, the structure must be reinforced.

Locate pipes, wires, or any other hazards in the wall where you wish to install the mount before drilling.


Safety gear and proper tools must be used. Failure to do so can result in injury or damage.

Two people are recommended for installation. Do not attempt to lift a heavy display without assistance.


Follow all instructions and recommendations regarding adequate ventilation and suitable locations for mounting your display. Consult the owner's manual for your particular display for more information.

 **CAUTION:** This wall mount is intended for use only with the maximum weight of 45 kg. Use with heavier than the maximum weights indicated may result in instability causing possible injury.


### TOOLS REQUIRED




Crosshead  
Screw Driver




13mm  
Spanner




Drill  
6 mm Drill Bit for Drywall  
or  
10 mm Masonry Bit for  
Concrete Installation



Pencil




Level



Stud Finder


### HARDWARE KIT

(A)




x4

(B)




x4

(C)




x4

(D)




M6 x 12 Screw  
x4

(E)




M6 x 30 Screw  
x4

(F)




x4

(G)




M8 x 12 Screw  
x4

(H)




M8 x 40 Screw  
x8

(I)



x4

(J)



x8




M195589


# LCD+LED WANDHALTER

## 1. Attach wall plate to wall



i. Concrete / brick wall.



ii. Wood / stud wall.



## 2. Attach interface arms to screen







M195589

## LCD+LED WANDHALTER


### 4. Hook screen onto wall mount and secure



**IMPORTANT!** The safety screws must be tightened at all times to prevent the display from being accidentally knocked from the mount.



### 5. Tilt Adjustment



Do not release the display until both tilt knobs are fully tightened!